

STATE OF WASHINGTON DEPARTMENT OF ECOLOGY



AMENDED PERMIT TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

	Surface Water		(Issued in accordance with the provisions of Chapter I amendments thereto, and the rules and regulations of the		ashington for 1917, and of Ecology.)				
	Ground Water	(Issued in accordance amendments thereto,	with the provisions and the rules and re	s of Chapter 263, Laws of W gulations of the Department	ashington for 1945, and of Ecology.)				
PRIORITY DATE April 26, 1988	APPLICATION NUMBER S2-27329		PERMIT NUMBER S2-27329			CERTIFICATE NUMBER			
NAME Elizabeth Hogan									
ADDRESS (STREET)	(CITY)			(STATE)		(ZIP CODE)			
112 Carr Road The applicant is hereby go	112 Carr Road				Washington		98605		
rovisions set herein.									
		PUBL	CWATERS	TO BE APPROP	RIATED				
SOURCE Unnamed Stream									
TRIBUTARY OF (IF SURFACE ROCK Creek									
MAXIMUM CUBIC FEET PER SECOND 0.03		MAXI	MAXIMUM GALLONS PER MINUTE			MAXIMUM ACRE FEET PER YEAR 0.25			
QUANTITY, TYPE OF USE, PERIOD OF USE 0.25 Acre-feet per year		Wideli Irrigati	Widelife Refuge Irrigation			Year-round, as needed May 1 to October 1			
		LOCATION	ON OF DIVI	ERSION/WITHDI	RAWAL	*			
APPROVIDE LATE LOCATION	of diversionwithdra 345 feet West of t		ion 10.						
950 feet South and									

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Lot 4 Block 9 Manzanola Orchards and Land Company Tracts according to the plat thereof recorded in Book A of Plats page 37 Records of Skamania County, Washington. Also known as the Southeast quarter of the Northeast quarter of the Southwest quarter of Section 10, T. 3 N., R. 9 E.W.M.

ESCRIPTION OF PROPOSED WORKS

A pond 30 feet in diameter.

	DEVELOPMENT SCHE	DULE
BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: Completed	WATER PUT TO FULL USE BY THIS DATE July 1, 2008
		Ily1,2010
	PROVISIONS	

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded annually and maintained by the property owner for a minimum of five years, and shall be promptly submitted to Ecology upon request.

The following information shall be included with each submittal of water use data: owner, contact name if different, mailing address, daytime phone number, WRIA, Permit/Certificate/Claim No., source name, annual quantity used including units, maximum rate of diversion including units, monthly meter readings including units, purpose of use, fish screen status, open channel flow or pressurized diversion, and period of use. In the future, Ecology may require additional parameters to be reported or more frequent reporting. Ecology prefers web based data entry, but does accept hard copies. Ecology will provide forms and electronic data entry information. Submit data to: Department of Ecology, SWRO/WR PO Box 47775, Olympia, WA 98504-7775.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

The intake shall be screened at all times in accordance with Department of Fish and Wildlife screening criteria. This water right is issued subject to Washington Department of Fish and Wildlife Hydraulic Project Approval.

The Water Resources Act of 1971 specifies certain criteria regarding utilization and management of the waters of the state in the best public interest. Use of water may be subject to regulation at certain times, based on the necessity to maintain water quantities sufficient for preservation of the natural environment.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

____day of May_____, 2007.

Thomas Loranger, Section Manager

No. S2-27329

If you require this publication in an alternate format, please contact Water Resources at (360) 407-6300, or TTY (for the speech or hearing impaired) 711 or 800-833-6388.

PERMIT 2